



01/01/2023

FOOTBALL GRASS INSTALLATION & MAINTENANCE MACHINE PRICE LIST

ScoreGrass 500KG Granules, Sand Matic & Brushing Machine



Specifications :

Lenght : 193cm Widht : 88cm Height : 113cm Weight : 400kg

- ✓ *It's silica sand capacity is 500kg.*
- ✓ *Automatic hydraulic sand casting tank has 50-200 kg pouring capacity per m3*
- ✓ *Double wheel movement connected to the system.*
- ✓ *Easy to use manual steering wheel.*
- ✓ *Front Tires: 15x6.00-6*
- ✓ *Rear Tires: 18x8.50-8*
- ✓ *Specially designed brush system connected to the hydraulic system.*
- ✓ *Oil tank*
- ✓ *Cooling oil radiator against heating*
- ✓ *Electrostatic powder coating against rust*

The brushes we use in our machine have a diameter of 3mm and a length of 80mm, so they are neither too hard nor too flexible, and they do their job in the best way without damaging the carpet. Brush movement and height adjustment are also connected to the hydraulic system. Due to our patented brushing system, the brushes allow sand and granules to penetrate the deepest points with a double-brushed elliptical contact throughout the carpet, so that players feel a high level of comfort while running on the carpet and reduce injury rates from falling on the field by 70% decreases to the level.

- ✓ **Materials Used in the Machine:**
- ✓ *VANGUARD ENGINE 627cc 23HP Power, Made In USA*
- ✓ *Hydro Motor WHITE DRIVE PRODUCTS Brand, Made In USA*
- ✓ *Hydro Pomp SALAMI Brand, Made In ITALY*
- ✓ *Control Valves SALAMI Brand, Made In ITALY*
- ✓ *Oil Cooling Radiator, Made In TURKEY*

Delivery Time : 50 Days After Order Confirmation / Price : \$ 30.650 FOB.Istanbul

ScoreGrass 900 Grass Carpet Brushing Machine



Machine Specifications :

Lenght : 120cm Widht : 95cm Height : 110cm Weight : 120kg

- ✓ *Brushing diameter : 300 mm*
- ✓ *Brsuhing lenght : 900 mm*
- ✓ *Brushing up-down movement: 100 mm*
- ✓ *Gasoline engine power 7 HP*
- ✓ *Rope engine start up*
- ✓ *2 forward 1 reverse gear*
- ✓ *Facility of forward or backward brush rotation*
- ✓ *Electrostatic powder coating against rust*

Our product is gas-adjustable, the flow speed and the brush return speed can be easily adjusted from the throttle arm. Since these can be adjusted in a fixed way, every part of the carpet field is brushed at the same level. The diameter of the brush bristles we use in the product is 2.5mm and the height is 90mm, so it is neither too hard nor too flexible, and it does its job in the best way without damaging the carpet. Due to this care, the grass carpet of the pitch gets steeper, also the stucked sand and granules which increase the risk of injury during the fall of the players who are hardened at the bottom are separated from each other again and thus create a soft ground and reducing up to 70% in injuries caused by falling. In addition, by the adjustable brush height, if you wish, when you position the brush that it does not touch the field and you connect the sand boiler, you can spread the sand or granules on your field completely homogeneously by its gradual sand pouring cover and because that the machine goes at a constant speed.

Price : \$ 6.370 - Sand tank included : \$ 6.900 Delivery Time : 15 Days after order

ScoreGrass 700 Brushing Machine



Machine Specifications :

Lenght : 90cm Width : 75cm Height : 95cm Weight : 50kg

- ✓ *Brushing Diameter : 300 mm*
- ✓ *Brushing Lenght : 700 mm*
- ✓ *Brushing up-down movement: 100 mm*
- ✓ *Gasoline engine power 5 HP*
- ✓ *Rope engine start up*
- ✓ *Electrostatic powder coating against rust*

The diameter of the brush bristles we use in the product is 2.5mm and the height is 90mm, so it is neither too hard nor too flexible, and it does its job in the best way without damaging the carpet. Our product is gas adjustable, and the brush rotation speed can be adjusted easily from the throttle lever. While maintaining the field with this machine, the machine should be used in the direction where the grass lies. By this care, the grass of the carpet pitch gets steeper, the sand and granules, which increase the risk of injury during the fall of the players who harden at the bottom, are separated from each other again and create a soft ground, thus reducing up to 70% in injuries caused by falling.

Price : \$ 2.450 Delivery Time : 10 Days

Portative Brushing Machine



Machine Specifications:

Lenght : 180cm Widht : 50cm Height : 25cm Weight : 12kg

✓ *Brushing Diameter : 200 mm*

✓ *Brushing Lenght : 450 mm*

Our product is gasoline powered and can be loaded into any vehicle in its disassembled form. With its small structure and easy portability, it can easily maintain the sides of the field and the bottom of the goal.

We have 2 types as 2.8 HP power 1.3 Liter fuel capacity, and 2 HP power 0.86 Liter fuel capacity.

Price: 2.8HP \$ 1700

2HP \$ 1100

Delivery Time : 5 Days

ScoreGrass E450 Brushing Machine



Machine Specifications :

Lenght : 50cm Widht : 45cm Height : 130cm Weight : 20kg

- ✓ *Brushing Diameter : 250 mm*
- ✓ *Brushing lenght : 450 mm*
- ✓ *Electric Engine Power : 1500 Watt*
- ✓ *Electrostatic powder coating against rust*

Our product is completely electric and does not give smoke or smell to the field, and it has dimensions that can be loaded into any vehicle due to its disassembled form. With its small structure and easy portability, it can be easily maintained on the sides of the field and the bottom of the goal.

Price : \$ 850

Delivery Time : 5 Days

ScoreGrass 450 Brushing Machine



Machine Specifications :

Lenght : 50cm **Widht :** 45cm **Height :** 130cm **Weight :** 20kg

- ✓ *Brushing Diameter : 250 mm*
- ✓ *Brushing Lenght : 450 mm*
- ✓ *Engine Power : 1.65 kW*
- ✓ *Electrostatic powder coating against rust*
- ✓

It has dimensions that can be loaded into any vehicle due to its disassembled form. With its small structure and easy portability, it can easily maintain the sides of the field and the bottom of the goal.

Price : \$ 1050 **Delivery Time :** 5 Days

Glue Tank



Product Specifications

Lenght : 78cm **Width :** 35cm **Height :** 27cm **Weight :** 19kg

Our product has a glue capacity of 16 liters. Seaming tape up to 35cm wide can be used. Thanks to its adjustable cover on the front, the glue flow can be easily controlled. The product is manufactured from 1st class ST37 steel and painted with electrostatic paint against corrosion.

Price : \$ 430 **Delivery Time :** 5 Days

Carpet Sticking Apparatus



Product Specifications :

Lenght : 39cm **Widht :** 25cm **Height :** 22cm **Weight :** 2kg

Our product is used to press the grass carpets on the seaming tape that coming out of the glue pot. Thanks to the apparatus located on the side, a long pipe can be connected and it is also possible to use it while standing and walking in a more ergonomic way. Our product is made of 3mm thick, 1st Class ST37 steel and painted with electrostatic paint against corrosion.

Price : \$ 120

Silica Sand / Granule Spreader Tank with 150 Kg Capacity



Product Specifications :

length : 60cm **Widht :** 100cm **Height :** 65cm **Weight :** 35kg

Our product has a carrying capacity of 150 kg of sand or granules. It is made of 1st class ST37 1.5mm thick steel material and is painted with electrostatic powder coating against corrosion. It provides ease of materials loading as it can be easily placed on the ground and lifted up by a normal man power. It provides comfortable operation with its 4-level adjustable steering height, you can adjust the amount of sand you want to spread per m2 with silica sand or sbr granules by its adjusting cover that can be opened step by step or completely.

Price : \$ 520 **Delivery Time :** 5 Days

Silica Sand / Granule Spreader Tank with 250 Kg Capacity



Product Specifications :

Lenght : 63cm **Widht :** 102cm **Height :** 92cm **Weight :** 50kg

Our product has silica sand or garnules carrying capacity of 250 kg. Sheet metal sections are made of 1st Class ST37 steel sheet with a thickness of 1.5mm and are painted with electrostatic powder coating against corrosion. Thanks to its frame and wheel connection points made from 40x60mm steel profile, the boiler does not crash during loading. Three air wheels are used to carry the load easily. Thanks to its material pouring cover that can be opened gradually, silica sand or sbr granules can be spreaded at desired level per m2. It has 180 degree steering movement capability.

Price : \$ 590 **Delivery Time :** 5 Days

Silica Sand / Granule Spreader Tank with 350 Kg Capacity



Product Specifications :

Lenght : 67cm **Widht :** 113cm **Height :** 95cm **Weight :** 70kg

Our product has silica sand or garnules carrying capacity of 350 kg. Sheet metal sections are made of 1st Class ST37 steel sheet with a thickness of 1.5mm and are painted with electrostatic powder coating against corrosion. Thanks to its frame and wheel connection points made from 40x60mm steel profile, the boiler does not crash during loading. The six air wheels are used to carry the load easily. Thanks to its material pouring cover that can be opened gradually, silica sand or sbr granules can be spreaded at desired level per m2. It has 180 degree steering movement capability.

Price : \$ 870 **Delivery Time :** 5 Days

Silica Sand / Granule Spreader Tank with 500 Kg Capacity



Product Specifications :

Lenght : 73cm **Widht :** 120cm **Height :** 105cm **Weight :** 85kg

Our product has silica sand or garnules carrying capacity of 350 kg. Sheet metal sections are made of 1st Class ST37 steel sheet with a thickness of 1.5mm and are painted with electrostatic powder coating against corrosion. Thanks to its frame and wheel connection points made from 40x60mm steel profile, the boiler does not crash during loading. The six air wheels are used to carry the load easily. Thanks to its material pouring cover that can be opened gradually, silica sand or sbr granules can be spreaded at desired level per m2. It has 180 degree steering movement capability.

Price : \$ 1100 **Delivery Time :** 5 Days

Silica Sand / Granule Spreader Tank with 1000 Kg Capacity




Product Specifications :

Lenght : 107cm **Width :** 130cm **Height :** 125cm **Weight :** 85kg

Our product has silica sand or sbr granules carrying capacity of up to 1000 kg with its own 650 kg attachment. It is designed to be attached to the rear of the tractor. Sheet metal parts are made of 1st Class ST37 steel sheets with a thickness of 2mm and are painted with electrostatic powder coating against corrosion. During frame loading, which is rotated from U-shaped sheets of 4mm thickness, no distortion occurs in the tank. In order to carry the load easily, 2 car wheels are assembled. Thanks to the gradually opening sand pouring cover, the desired level of sand or granule can be spreaded per m2.

Price : \$ 2.250 **Delivery Time :** 7 days

Centre Spot Cutting Knife




Product Specifications :

Lenght : 18cm **Widht :** 18cm **Height :** 18cm **Weight :** 1.5kg

- ✓ It is used to cut the rounded areas in the football pitches.
- ✓ It is made of 1st Class ST37 steel material with 4mm thickness.
- ✓ Painted with electrostatic powder coating against corrosion.

Price : \$ 120

Grass Carpet Side Cutting Knife



Product Specifications :

Lenght : 23cm **Widht :** 5cm **Height :** 14cm **Weight :** 0.8kg

- ✓ It is used to cut the edge areas in the grass carpet pitches.
- ✓ It is made of 1st class ST37 steel material with 3mm thickness.
- ✓ Painted with electrostatic powder coating against corrosion.

Price : \$110

One Knife Direct Cutting Instrument




Product Specifications :

Lenght : 50cm **Width :** 10cm **Height :** 15cm **Weight :** 2kg

- ✓ It is used to cut the edge areas in the grass carpet pitches.
- ✓ It is made of 1st class ST37 steel material with 3mm thickness.
- ✓ Painted with electrostatic powder coating against corrosion.

Price : \$ 220

Double Knife Grass Carpet Cutting Equipment



Product Specifications :

Lenght : 35cm **Widht :** 25cm **Height :** 20cm **Weight :** 5.2kg

- ✓ It is used to cut the middle part of the carpet in the grass carpet pitches.
- ✓ It also cuts the place where the defensive lines of the carpet are in grass carpet fields.
- ✓ It is made of 1st class ST37 steel material.
- ✓ Painted with electrostatic powder coating against corrosion.

Price : \$ 300

– Rope and Stud Bar Included : \$ 350

Carpet Tensioning Apparatus



Product Specifications :

Uzunluk : 35cm **Genişlik :** 12cm **Yükseklik :** 35cm **Ağırlık :** 4.7kg

- ✓ It is used to pull or stretch the edges of the carpet on the carpet pitches.
- ✓ It is made of 1st class ST37 steel material.
- ✓ Painted with electrostatic powder coating against corrosion.

Price : \$ 300

Grass Carpet Simple Cutting Knife



The product is sold as a package with 10 knives in 1 package. It is made of stainless steel material. It is compatible with all of our carpet cutting equipments.

Price : \$ 12

Carpet Puller



Product Specifications :

Lenght : 45cm **Widht :** 19cm **Height :** 12cm **Weight :** 5.5kg

- ✓ It is used to close the gap between two carpets by pulling them towards each other after the carpet is laid on the carpet fields.
- ✓ It is made of 1st class ST37 steel material.
- ✓ Painted with electrostatic powder coating against corrosion.

Price: \$ 450

Turf Surface Reset (Dragmad)



Product Specifications :

Lenght : 150cm **Width :** 100cm **Height :** 2cm **Weight :** 20kg

It is manufactured from a combination of 13mm wide and 1.5mm thick galvanized steel sheets and is resistant to corrosion. By moving it over the field, it allows the turf to enter into the grass by breaking down lumped granules due to its corrugated structure and its weight, so that the field has a better appearance and creates a more comfortable ground for players.

Price : \$ 450

Grass Field Test Ramp



Product Specifications :

Lenght : 140cm **Width :** 20cm **Height :** 111cm **Weight :** 13kg

- ✓ It is used to control the flatness of the field in football fields.
- ✓ It is produced from AISI 304 quality stainless steel material.
- ✓ It is designed to be detachable.
- ✓ Our product is FIFA approved.

Price : \$ 450

Z Brush




Product Specifications :

Lenght : 100cm **Width :** 120cm **Height :** 50cm **Weight :** 40kg

Thanks to 2 flat and 3 cross placed brushes, it provides successful maintenance in the field. The sheets to which the brushes are attached are made of 2mm 1st Class ST37 steel material, and the frame that turns around is made of 40x40 profile. The brushes have a diameter of 3mm and a length of 80mm and are hammered into kiln-dried beech wood with a thickness of 25mm and a width of 100mm, which is also resistant to stretching. It can be attached to the ATV vehicle or to the back of a tractor.

Price : \$ 1350

Triangle Brush



The length of one side of triangular brush is 1500mm and its weight is 15 kg. The product is delivered to the cargo in disassembled form in dimensions of 1500x100x320mm. The brushes have a diameter of 3mm and a length of 80mm and are hammered into kiln-dried beech wood with a thickness of 25mm and a width of 100mm, which is resistant to stretching. The connection parts are made of 4mm DKP steel sheet.

Price : \$ 450

- **All products are Made in Turkiye**
- **All Prices are based on FOB.Istanbul terms**
- **Payment cash in advance or L/C at sight**

Address : Osmangazi Cad. No.2 Axis AVM B2 Blok. Kat.5 Ofis No.92 Eyupsultan. ISTANBUL-TURKIYE Tel: +90.212.8908025
www.scoregrass.it

